



Voluntary Product Evaluation CBORD Value Plus Revalue Station

Date: April 20, 2016

Name of Product: Value Plus Revalue Station

Contact for more Information: CBORD Website/Contact Information

Summary Table

Criteria	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Not Applicable	
Section 1194.22 Web-based internet information and applications	Not Applicable	
Section 1194.23 Telecommunications Products	Not Applicable	
Section 1194.24 Video and Multi-media Products	Not Applicable	
Section 1194.25 Self-Contained, Closed Products	Supports with Exceptions	Value Plus Revalue Station is a self-service station that allows account holders to use cash or credit cards to add value to their CBORD account.
Section 1194.26 Desktop and Portable Computers	Not Applicable	
Section 1194.31 Functional Performance Criteria	Not Applicable	
Section 1194.41 Information, documentation, and support.	Not Applicable	

Section 1194.25 Self-Contained, Closed Products

* Refer to (<http://www.access-board.gov/sec508/guide/1194.25.htm>) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Supports with exceptions	Value Plus Revalue Station does not have any audio controls, all control is through visual interaction with the device. People with visual disabilities may not be able to utilize the device since neither audio nor tactile control is possible.
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Supports	In cases where a timed response is required, users are prompted to take action with a counter indicator of time sensitive requirements. Specific timing limitations are set through maintenance functions.
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4).	Supports with exceptions	Value Plus Revalue Station is controlled through a resistive touch screen only. The unit touch screen does not support tactile indication and locking/toggle functions are only visually discernible (no audio nor tactile indication). The force required for touch screen control is compliant with 5lb maximum and key repeat function is supported with a programmable delay of at least 2 seconds.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not Applicable	
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	
(g) Color coding shall not be used as the	Supports	

only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not Applicable	
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supports	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Supports	Installers need to insure that the unit is installed/mounted in such a way that all necessary accessibility requirements are complied with. As provided by the manufacturer, the unit supports Section 1194.25(j)(1)
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Supports	Installers need to insure that the unit is installed/mounted in such a way that all necessary accessibility requirements are complied with. As provided by the manufacturer, the unit supports Section 1194.25(j)(1)
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Not Applicable	
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Supports	Installers need to insure that the unit is installed/mounted in such a way that all necessary accessibility requirements are complied with. As provided by the manufacturer, the unit supports Section 1194.25(j)(1)